REMARKS

Election/Restriction

On page 2 of the Office Action the Examiner states, "As all the claims have been amended to recite methods of treating a skin microcirculatory disorder, the restriction requirement is withdrawn." However, the status of the claims lists claims 8 - 10, 15, 17 and 18 as withdrawn for not being drawn to the elected invention. Applicants respectfully request clarification.

Specification

The title has been amended to address the typographical error.

Claim Objections and Rejections under 35 USC §112

Claims 13, 14 and 19 have amended to address the Examiners objections. The stuctures of formulae (I), (II) and (III) have been replaced with clear figures.

Rejections under 35 USC §102

Claims 1, 7, 11, 14, 16 and 19 stand rejected under 35 U.S.C. 102(b) as allegedly being anticipated by Ghisalberti (WO 01/17497).

Ghisalberti (WO 01/17497) describes a cosmetic and/or dermatological composition and a method for the treatment and/or prevention of <u>hyperpigmented</u> skin. Ghisalberti's composition comprises 3-hydroxypyr(id)one derivatives.

On page 5 of the Office Action, the Examiner alleges that Schlerotherapy results in "red" pigmentary spots. This is not correct. In Example 2, Ghisalberti discloses the treatment of "post sclerotherapy spots" and not "red" pigmentary spots as alleged. On page 3, lines 7-45 Ghisalberti describes that one consequence of sclerotherapy is hyperpigmentation.

Ghisalberti only deals with the treatment of <u>hyperpigmented</u> skin which results from an excess of melanin and/or by hemosiderin deposits, thus making the skin turn to a

brown colour. Hyperpigmented skin is defined on page 5, lines 12-14 of Ghisalberti as skin impairments showing spots or areas of a dark colour, either due to an excess of melanin and/or to hemosiderinc deposits. On page 1, Ghisalberti makes reference to dark spots which were previously treated with peroxides, melanin/tyrosinase synthesis inhibitors, hydroquinones and the like. Indeed, such products are effective in whitening/lightening hyperpigmented dark spots present on the skin. Hyperpigmented skin (i.e. dark, brown spots or marks on the skin) is associated with sclerotherapy. See for example the attached Ingenta abstract regarding post-sclerotherapy pigmentation, which states: "This pigmentation is brown and represents haemosiderin and sometimes melanin as well." Furthermore, spots that are hemosiderinic in nature do not arise from bleeding as alleged by the Examiner on page 5. Hemosiderin is defined as a dark yellow-brown pigment. See attached definitions from Mosbys Dental dictionary and Merriam-Webster dictionary.

As the Examiner notes on page 6 of the Office Action, "Ghisalberti does not disclose the use of these compounds for treating other skin conditions such as rosacea or purpura." Skin microcirculatory disorders are characterized by red spots and marks due to the perception of superficial blood flow and bleeding under the skin. Pathologies caused by skin microcirculatory disorders are not similar to the hyperpigmentation disorders disclosed in Ghisalberti. Ghisalberti is silent regarding the treatment of treating a skin microcirculatory disorders. Ghisalberti is particularly silent regarding treatment of purpura, rosacea capillaritis, rosacea, cutaneous vasculitis, itching purpura, purpura annularis telangiectodes, contact allergy skin capillaritis, traumatic skin hemorrhage or actinic purpura.

Rejections under 35 USC §103

Claims 1 - 7, 11-14, 16 and 19 stand rejected under 35 U.S.C. 103(a) as allegedly being unpatentable over Ghisalberti ('497 above) in view of Murad (US Patent 6,630,163).

As noted above, Ghisalberti is silent regarding the treatment of treating skin microcirculatory disorders. Ghisalberti is particularly silent regarding treatment of purpura, rosacea capillaritis, rosacea, cutaneous vasculitis, itching purpura, purpura annularis

telangiectodes, contact allergy skin capillaritis, traumatic skin hemorrhage or actinic purpura.

Murad et at. (US 6,630,163) teaches the use of fruit extracts for neutralizing free radicals. The fruit extracts can be administered for the management of dermatological conditions such as senile purpura, rosacea and hyperpigmentation (see Col 7, line 45 - 49 and Col. 8 lines 5-9). Murad does not teach or suggest the compounds of the present invention. Murad et al adds nothing to the teachings of Ghisalberti and does not cure the deficiencies of the present invention.

Thus, in view of the above, it is respectfully requested that the rejections under 35 USC 102.103 be withdrawn.

Respectfully submitted,

Anthony Zelano Reg. 27,969 Attorney for Applicant(s)

Fennifer Branigan Reg. 40,921

Agent for Applicant(s)

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.

Arlington Courthouse Plaza 1, Suite 1400

2200 Clarendon Boulevard

Arlington, Virginia 22201

Telephone: (703) 243-6333

Facsimile: (703) 243-6410

Attorney Docket No.: MARGI-0044

Date: 4 June 2008

ingentaconnect

Persistent post-sclerotherapy pigmentation due to minocycline. Three cases and a review of post-sclerotherapy pigmentation

Author: Green D.

Source: Journal of Cosmetic Dermatology,

Volume 1, Number 4, December 2002, pp. 173-182(10)

Publisher: Blackwell Publishing

next article > | view table of contents

∢mark item

Key: 1 - Free Content 1 - New Content 3 - Subscribed Content

Free Trial Content

Abstract:

Summary Background

Post-sclerotherapy pigmentation, usually overlying the treated veins and independent of any drug ingestion, is common. This pigmentation is brown and represents haemosiderin and sometimes melanin as well. It usually slowly fades over a period of months, only uncommonly persisting for years.

Cutaneous pigmentation due to minocycline ingestion is a known but rare adverse effect. It usually appears as a round or irregular shaped patch that is dark blue to black, representing minocycline moieties and iron complexes. Its persistence for years is common.

Clinically and histopathologically, these two causes of pigmentation are quite distinct. In the absence of ulceration, minocycline pigmentation koebnerised by sclerotherapy has not previously been reported. Aims

To determine the nature of the pigmentation appearing in three patients who had been taking minocycline at the time, or shortly after, they had received sclerotherapy. Clinically, although this pigmentation had the usual distribution observed after sclerotherapy, it was persistent and appeared dark blue to black. Results

The persistent post-sclerotherapy linear pigmentation observed in all three patients had the characteistics of minocycline pigmentation. Conclusions

This is the first report of such minocycline-aggravated postsclerotherapy pigmentation. Persistent post-sclerotherapy pigmentation caused by minocycline is a risk associated with ingestion of this drug. Patients need to be warned of this risk because, unlike post-sclerotherapy pigmentation that develops in the absence of drug ingestion, minocycline-aggravated postsclerotherapy pigmentation may persist for years.

Keywords: haemosiderin; hyperpigmentation; minocycline; pigmentation; post-sclerotherapy; sclerotherapy

TheFreeDictionary Google

hemosiderin

Word / Article <a>O Starts with <a>O Ends with <a>O Text

Search

Medical • Legal • dictionary Dictionary

: a Idiomia Encyclopedia Wikipedia o Financial o a ary dictionary Acronyms

encyclopedia: 7

Ads by Google Cell Culture, RNA, Protein, Preps banking, cytotoxicity, proliferation

www.absbio.com Liver Disease Treatment

Using Adult Stem Cells from your own bodyl www xcell-center.com/LiverDisease

Repair Load Cells Quality Load Cells, Calibration & Repair, Cost Effective Solutions! www.LoadCell.uk.net/

hemosiderin /he-mo-sid-er-in/ (he?mo-sid-er-in) an insoluble form of tissue storage iron, visible microscopically both with and without the use of special stains.

Dodand's Medical Dictionary for Health Consumers, & 2007 by Saunders, an impaint of Eisevier, Inc. All rights reserved. CANCEL PROPERTY OF THE PROPERT

he·mo·sid·er·in (hz/mō-sīd/er-īn)

An insoluble protein that contains iron and that is produced by phagocytic digestion of hematin and found as granules in most tissues, especially in the liver.

The American Heritage® Medical Dictionary Copyright © 2007, 2004 by Houghton Millfin Company. Published by Houghton Millin Company. All rights reserved.

hemosiderin (hē'mōsid'ərin),

n an intracellular storage form of iron; the granules consist of an ill-defined complex of ferric hydroxides, polysaccharides, and proteins having an iron content of approximately 33% by weight. It appears as a dark yellow-brown pigment.

Mosby's Dental Dictionary, 2nd collion. © 2008 Elsevier, Inc. All rights reserved.

以表现是这个大大人的表示是对于各种人的心理是有效的知识的是这个对象的正常是是一个人的人,但是是一个人的人的人,这个人的人,这个人的人的人,也不是一个人的人的人,

hemosiderin

an insoluble form of intracellular storage iron, visible microscopically both with and without the use of special stains.

inders Comprehensive Velennary Dictionary, 3 ed. © 2007 Elsevier, Inc. All rights reserved

Link to this page:

hemosiderin

Please bookmark with social media, your votes are noticed and appreciated:



Digital slide management Software for digital slides, Tissue Microarray and clinical data www.slidepath.com

Human Tissue Research For high quality Human Biospecimens in Europe www.bioscience.ca.uk/humantissue

S.CORE

Web-based Image Analysis for Cell Biology and Material Science www.sco-tifescience.de

Page tools

(E) Printer friendly Cite / link a Email

... 11 .

Feedback Feedback C3 Add definition

TEXT 经上层为函数方面只分

xerox 6

Whosel Unit

Proper aggreeated

tager a de performan AND THE PROPERTY OF THE PARTY O



All Control of the state of the Miles Charles and the second second second

Advertisement (your ad back)

Related Ads

- Cell Tissue Liver Tumors
- Tumor Tissue Primary Cells
- Neuronal Cells
- · Frosh Tissue · Human Coll, Lines
- Human Plasma
- Human Sera · Disease Tiesue

My Word List

(S) Add current page to the list



Advertisement (your ad lipra)

Charity



Feed a hungry child donate to school feeding program:

?

· Mentioned in

<u>hemosiderinuria</u> Hemosiderosis

siderophore

- References in periodicals archive

Ada by Google

Foam cells with vacuolated cytoplasm may be present, and they often have pigmented cytoplasmic granules containing hemosiderin. Endolymonatic sec lumor: a report of 3 cases and discussion of ... by Maceri, Dennis / Ear. Nose and Throat Journal

Dramatic decreases in bone marrow hemosiderin levels have been reported in some distance runners.

Gastrointestinal (GI) bleeding in andurance runners by Feller Edward R / AMAA Journal

These observations included the presence of pale, shiny, skin, thickened nails, little hair growth, cool skin temperature, weak or absent foot pulses, and the presence of varicosities or visual identification of skin stained with dark brown hemosiderin pigment, or bilateral limb swelling or lymphedema.

Effect of electrical stimulation on chronic leg ulcer size and ... by Harris, Kenneth A / Physical Therapy



Master of Arts in Education

E Curiciam and instruction - Computer Education

E Constitute and instruction - English as a

Second Language

E Early Childrent Education m Elementery Teacher Education

Secondary Teacher Souredon # Cross-Categorical Special Education

University of Phoenix



🕏 Dictionary 😳 Theeaurus 🐪 Spanish/English 😳 Medical

Also Visit: Unabridged | Encyclopedia Britannica | Visual des | ESL: | Learner's for Kids: | Spell iti des | Word Comrai des

ONLINE

Home Visir Our Sites Premium Services Downlands Word of the Day Word Cames Open Oktionary Spelling Bee Hive Word for the Wise Online Store tielp About Us

hemosiderin

One entry found.

hemosiderin

Main Entry: he-mo-sld-er-in 🐠 Pronunciation: \hē-mō-'si-da-ran\

Function: noun

Etymology: International Scientific Vocabulary hem- + sider- + t-in

Date: circa 1885

: a yellowish-brown granular intracellular pigment that is formed in some phagocytic cells (as macrophages) by the breakdown of hemoglobin and is probably essentially

a denatured form of ferritin

Legro, more about "hempsidelig" and related topics in Britannics.com

Find Jobs in Your City

Pronunciation Symbols

Share this entry: 🛞

Link to this page: hemosiderin


Cite this page:

MLA Style
"hemosiderin." <u>Meman-Yv</u>ebster Online Dictionary. 2008.
Martiam-Webster Online. 27 May 2008
https://www.martiam-webster.com/dictionary/hemosiderin

APA Style homosidenn. (2008). In Memiem-Webster Online Dictionery. Retrieved May 27, 2008, from http://www.marriam-webster.com/dictionary/hemosidenin

* Search Search "hemosiderin" in: Theseurus * SeanlablEnglish " Medical Distinguira Open Dictionary Browse words next to: Browse the Dictionary: ABCDRESHIJKLMNORQBRIUXWXX ZU

Go hemosiderin



Master of Arts in Education

- a Cuniculum and Unavacions Computer Educate
 a Cuniculum and instruction English by a
 Special Lunguage
 a Long Childhead Education
- entery feether Edvandon
- B Secondary Teacher Education
- # Cross-Corezonesi Special Education

ONLINE



Products

Premium Services

Adversising info Contact Us Company info

Privacy Policy

5) Zeed Merriam-Webster, incorporated